

1/19




FIG.1A




FIG.1B




FIG.1C

2/19

MMSTABILITY6 IN Dii4 @37°C.




FIG.1D

MMSTABILITY6 IN Dii5 @37°C.




FIG.1E

MMSTABILITY6 IN Dii6 @37°C.




FIG.1F

3/19

MMSTABILITY6 IN DiI7 @37°C.




FIG.1G

MMSTABILITY6 IN DiI8 @37°C.




FIG.1H

MMSTABILITY6 IN DiI9 @37°C.




FIG.1I

4/19




FIG.1J




FIG.1K




FIG.1L




FIG.1M




FIG.1N




FIG.1O

6/19




FIG.1P

7/19

MMSTABILITY6 IN DiI1 @2-8°C.




FIG.2A

MMSTABILITY6 IN DiI2 @2-8°C.




FIG.2B

MMSTABILITY6 IN DiI3 @2-8°C.




FIG.2C

8/19

MMSTABILITY6 IN DiI4 @2-8°C.




FIG.2D

MMSTABILITY6 IN DiI5 @2-8°C.




FIG.2E

MMSTABILITY6 IN DiI6 @2-8°C.




FIG.2F



9/19

MMSTABILITY6 IN DI17 @2-8°C.




FIG.2G

MMSTABILITY6 IN DI18 @2-8°C.




FIG.2H

MMSTABILITY6 IN DI19 @2-8°C.




FIG.2I

10/19




FIG.2J




FIG.2K




FIG.2L




FIG.2M




FIG.2N




FIG.2O

12/19




FIG.2P

13/19

MMSTABILITY7 IN DiI1 @37°C.




FIG.3A

MMSTABILITY7 IN DiI2 @37°C.




FIG.3B

MMSTABILITY7 IN DiI3 @37°C.




FIG.3C

14/19

MMSTABILITY7 IN DI14 @37°C.




FIG.3D

MMSTABILITY7 IN DI15 @37°C.




FIG.3E

MMSTABILITY7 IN DI16 @37°C.




FIG.3F

15/19

MMSTABILITY7 IN DiI7 @37°C.




FIG.3G

MMSTABILITY7 IN DiI8 @37°C.




FIG.3H

MMSTABILITY7 IN DiI9 @37°C.




FIG.3I

16/19




FIG.3J




FIG.3K




FIG.3L



17/19




FIG.3M




FIG.3N




FIG.3O




FIG.3P




FIG.3Q




FIG.3R

19/19




FIG.3S




FIG.3T